VOLVO



Volvo Articulated Haulers 34.5 t 57 km/h 457 hp



Volvo Construction Equipment

A35

Benefit from a host of cutting-edge features designed to boost productivity and maximize uptime.



Productive, efficient and reliable hauling operations.

Take on tough jobs in tough conditions in the Volvo A35, built for exceptional off-road performance, operator comfort, and maximum uptime. With features including Volvo drivetrain with Terrain Memory, an intuitive operator interface, enhanced visibility, superb durability, and lower service costs, the A35 delivers peak productivity, profitability, and performance.



Intuitive in-cab interface

- All essential in-cab information conveniently displayed on just two screens
- Interactive, integrated Volvo Co-Pilot display
- Dynamic instrument cluster in-front of steering wheel



A new level in operator comfort

- Easy access/egress
- Direct field of vision which exceeds industry standards
- Lighting and cameras
- Enhanced storage options
- Easy cleaning
- Range of suspension configurations



Reduction in service costs

- 250-hour greasing intervals
- 1000-hour engine service intervals
- Industry leading service access
- Remote monitoring and service alerts
- Enhanced electrical service center

Unbeatable off-road performance

- Volvo Automatic Traction control (ATC)
 with Terrain Memory
- Automatic drive combinations including 6x6 and 6x4
- All-terrain bogie
- Hydro-mechanical steering
- Downhill speed control
- Dynamic and predictive gear selection
- Superior tipping stability



Haulers and beyond

- Haul Assist with On-Board Weighing
- Connected Map and Performance Indicator
- Future proofed software architecture
- Connected to Uptime
- Operator Training Program
- Service contracts
- Optimal pass-matching with Volvo loading tools

З

Intuitive operator interface

Operators can stay in-the-know and focussed on the task at hand thanks to all essential in-cab information conveniently displayed on just two screens. The interactive, integrated Volvo Co-Pilot display offers easy control over essential functions like radio, camera settings, climate control, and machine status. This is combined with the dynamic instrument cluster, positioned in front of the steering wheel, which provides essential vehicle data at a glance.

Volvo Automatic Traction Control with Terrain Memory

Experience superb fuel efficiency without compromising on power and performance thanks to the world-renowned Volvo drivetrain, including Terrain Memory. The intelligent function identifies and remembers slippery road segments to ensure optimized traction control and outstanding offroad mobility.

Enhanced visibility

Visibility is key to a safe, efficient and productive working day and thanks to the redesigned cab panels and wider wiper coverage, operators benefit from a direct field of vision which exceeds industry standards. Work lights activated via the integrated Volvo Co-Pilot are now located on the pillar, providing increased illumination to further optimize visibility.

Haul Assist with On-Board Weighing

Haul Assist, powered by the integrated Volvo Co-Pilot, is a set of tools designed to help you get even more productivity and efficiency from your Volvo Articulated Hauler. A key feature of Haul Assist is On-Board Weighing, which provides real-time payload information which can help to eliminate carry-back and overloading. The result is peak productivity, reduced fuel consumption and less machine wear.



Reduction in service costs

Reduce your service costs thanks to simplified servicing, longer change intervals and easy component access. Benefit from industry leading greasing intervals of 250 hours for maximum uptime, along with Volvo Engine Oil and High Performance Filters.

Unbeatable off-road performance

The A35 delivers unbeatable off-road performance in its class with features including the proven Volvo drivetrain, Automatic Traction Control system with Terrain Memory, automatic drive combinations (including 100% differential locks), all-terrain bogie and hydro-mechanical steering for unmatched traction, stability and precise control.



Volvo A35 in detail

Engine

13 liter, 6-cylinder straight turbocharged diesel engine with 4 valves per cylinder, overhead camshaft and electronically controlled unit injectors. The engine has wet replaceable cylinder liners and replaceable valve guides and valve seats.

Engine model	Volvo	D13F
Max power - SAE J1995 Gross	kW	336
	hp	457
at engine speed	r/min	1 900
Max torque - SAE J1995 Gross	Nm	2 407
at engine speed	r/min	1 000
Displacement	I	12.8

Electrical system

All cables, sockets and pins are identified. Cables are enclosed in plastic conduits and secured to main frame. Prewired for options. Connectors meet IP67 standard for water-proofing as necessary.

24
010
2 x 12
2 x 170
96/120
9
2.1:1
PT 2529
IL2 ATC
ARB H35

Brake system

Fully hydraulic, wet multiple disc brakes with enclosed, forced oil-cooled multiple discs on all wheels. Two circuit brake system. Complies with ISO 3450 at total machine weight.

Steering system

Hydro-mechanical articulated steering, self compensating design.

Chassis

Frames: box type, heavy duty. High strength steel, robot welded.

Cab

Mounted on rubber pads. Ergonomically designed. Unobstructed wide angle forward view. Operator centrally positioned above the front axle. ergonomically positioned controls.

Sound level in cab (ISO 6396) - L _{pA}	dB	72
External sound level (ISO 6395) - L_{wA}	dB	112

Internal sound level with sound kit: 70 dB(A)



Hydraulic system

Four variable displacement piston pumps driven by the flywheel PTO. Two load-sensing used for steering and tipping and two electrical controlled used for fan, brake cooling and brake power supply. One ground-dependent piston pump for secondary steering mounted on the dropbox. Two return oil filters with magnetic cores provide effective oil filtration System max working pressure MPa 28

oystern max working pressure	III a	20
Dumping System		
Patented Load and Dump Brake.		
Tipping angle	٥	71
Tipping time with load	s	12
Lowering time	S	10
Body		
Plate thickness		
Front	mm	8
Sides	mm	11
Bottom	mm	14
Chute	mm	16
Material		HB450 steel
Yield strength	N/mm²	1 1 5 0
Tensile strength	N/mm²	1 350

Load Capacity		
Standard Body		
Load capacity	kg	34 500
Body, struck	m³	16
Body, heaped 2:1	m³	21.3
With overhung tailgate		
Body, struck	m³	16.2
Body, heaped 2:1	m³	22

Suspension

Front suspension: Three point suspension consisting of a-stay fitted to the frame structure by a spherical rubber bushing, shock absorbers with accumulators and cross stays.



Specifications

REFILL CAPACITIES		
		A35J
Crankcase	I	50
Fuel tank	I	563
Cooling system	I	44
Brake cooling system	I	207
Transmission	I	43
Dropbox	I	9
Axles, front/bogie	I.	22/51
Hydraulic tank	I	199

SPEED		
		A35J
orward		
1	km/h	5.9
2	km/h	8.6
3	km/h	10.5
4	km/h	15.2
5	km/h	21.9
6	km/h	27.7
7	km/h	36.6
8	km/h	48.5
9	km/h	57.0
Reverse		
1	km/h	6.6
2	km/h	9.5
3	km/h	18

OPERATING WEIGHT UNLOADED		
		A35J
Tires		26.5R25*
Front	kg	16 330
Rear	kg	13 470
Total	kg	29 800
Payload	kg	34 500


TOTAL WEIGHT		
		A35J
Tires		26.5R25*
Front	kg	20 330
Rear	kg	43 940
Total	kg	64 270


*) A35J with tires 775/65R29, add 200 kg /axle


Operating weight includes all fluids and operator


*) A35J with tires 775/65R29, add 200 kg /axle

GROUND PRESSURE			
		A35J	
Tires		26.5R25	775/65R29
Unloaded			
Front	kPa	138	117
Rear	kPa	56	49
Loaded			
Front	kPa	171	146
Rear	kPa	184	157









DIMENSIONS		
Pos	Unit	A35J
A	mm	11 261
A ₁	mm	5 459
A2	mm	6 418
В	mm	5 811
С	mm	3 568
C1	mm	1 819
D	mm	3 084
D1	mm	2 941
E	mm	1 277
F	mm	4 628
G	mm	1 940
Н	mm	1 609
1	mm	494
J	mm	2 940
К	mm	2 367
L	mm	855
М	mm	7 340
Ν	mm	9 118
N1	mm	4 429
0	mm	3 218

DIMENSIONS		
Pos	Unit	A35J
Р	mm	3 028
Q	mm	2 801
R	mm	586
R1	mm	677
S	mm	2 651
т	mm	3 401
U	mm	3 516
V	mm	2 690
W	mm	3 345
Х	mm	522
X1	mm	607
X2	mm	758
Υ	mm	2 690
Z	mm	3 345
a1	0	23.8
a2	o	71
83	0	45

A35J: Unloaded machine with 26.5R25

Equipment

STANDARD EQUIPMENT	STANDARD EQUIPMENT
Cab/Operator envioment	Safety and security
Operator seat with head restraint (air suspended and heated)	Anti-slip steps and platforms with handrails
Electronic Climate Control	Dump body lock
Cup holder / storage tray	Steering joint lock
Cell phone holder	Harness anchor points
Instructor seat with seat belt	Rear-view mirrors
Overhead console for CC Radio, Tachograph, etc.	Retractable 3-inch 2-point safety belt
Air suspended / heated operator seat	ROPS / FOPS protected Care Cab
Sliding window	Secondary steering
Cooled / Heated storage box	Dump support system
Front sun visor	Positioning indicators (front and rear)
Tilt/telescopic steering wheel	Entrance camera
Loud speakers (4)	Service and Maintenance
Dynamic instrument cluster and integrated Co-Pilot	Grouped service points and filters
Automatic pre-start checks	Electrical fuel priming pump
Troubleshooting diagnostics	Prepared for fast fueling equipment
Engine	Ambient and service lights (LED)
Preheater for easier cold starts	Electrical engine hood
VEB (exhaust retarder EPG + compression brake)	Belly plate with integrated service hatches
Wheels and tires	Drainage hoses
26.5R25	Tool box
Drivetrain	- Front service ladder
6x4 and 6x6 Automatic Traction Control (ATC)	
Dog clutch type 100% diff-locks in all axles	
Cruise Control	
Dropbox with longitudinal diff-lock	
Torque converter with automatic lock-up in all gears	
Electrical system	-
Battery disconnect switch	
Electrical Interface	
Charging studs	
Power outlets	
USB-C 2.0 (2)	
USB-A 3.0 (1)	
24V (2)	
Exterior and Interior lights (all LED)	_
Brake system	_
Two circuit, fully hydraulic, wet discs on all axles (externally cooled)	
Down Hill Speed Control	
Hill assist	
Load & Dump Brake	
Retarder pedal	
Devision busics on averalley shaft	

Parking brake on propeller shaft

Dumping System

Body prepared for exhaust heating and optional equipment

Engine	Dumping System
Air filter, heavy duty	Body exhaust heating
Engine heater, electric	Front spillguard, extra
Engine heater, diesel	Side extension, 200 mm
Engine shutdown timer	Side extension, light material
External emergency engine stop	Tailgate, overhung, wire-operated
Operator Environment	Tailgate, overhung, linkage-operated
Noise reduction kit (fulfils 2000/14/EC)	Tailgate, underhung
Anchorage, operator's manual	Wear plates, 450 HB
Cab heating / ventilation timer	Wear plates heavy duty, 450 HB
Cable kit, for cab heater	Safety and security
Cab air filter (Asbestos dust protection)	Fire suppression system
Cab air filter (Carbon)	Warning triangle
Rear view mirrors, adjustable, el.heated	First aid kit and fire extinguisher
Sun blinds, side windows	Fire extinguisher, external
Universal key	Wheel chocks
Premium operator seat with head restraint (air suspended, cooled / heated), 2-point belt	Service and maintenance
Premium operator seat with head restraint (air suspended, cooled /	Auto Lube system
heated), 3-point belt	Centralized greasing
Armrest for operator seat	Tool kit
Hands-free microphone	Other
Radio AM / FM / DAB	Arctic oil kit
Wheels and tires	Fast fuelling system
775/65R29	Jump start connector, ISO-type
Drivetrain	_
Long haul kit, dropbox cooling	
Speed limiter (25/30 km/h)	
Electrical system	_
Warning beacon, LED	
Seatbelt indicator, external	
Working lights front and rear, LED	
Rear view camera	
Front view camera	
Reverse alarm	
PDS interface, Safemine	
Tire Pressure Monitoring System	-
Suspension	-

Rubber front suspension

Hydraulic front suspension

Not all products are available in all markets. Under our policy of continuous improvement, we reserve the right to change specifications and design without prior notice. The illustrations do not necessarily show the standard version of the machine.

VOLVO